

DEPOSITA[®]
An ALLIED UNIVERSAL Company



PROTECTOR


2400 d-s1

DEPOSITA[®]
An ALLIED UNIVERSAL Company

Insert card to start
deposit



DEPOSITA[®]
An ALLIED UNIVERSAL Company



SECURE YOUR SUCCESS

Growing your business is already a demanding investment of time and energy. The Protector 2400 range will take care of your on-site cash so you can focus on what you need to. This compact, affordable smart-safe automates your cash management saving you precious time. Plus, reduce insurance, security, cash-in-transit costs and more. That's time and money you and your staff can devote to your customers and your business.

AFFORD GREATER SECURITY AND PEACE-OF-MIND
WITH WORLD-LEADING, CASH-HANDLING
DEVICES FOR ANY GROWING BUSINESS.

PROTECTOR

2 400 RANGE

- Reduce and streamline cash-in-transit collections
- 24-hour on-site device visibility and tamper notification
- Traceable cash containers
- CONNECTOR REPORT: Track and view transactions and create custom reports via the web
- Back-up battery for transaction completion
- International standard of quality and performance

INNOVATIVE CASH-HANDLING SOLUTIONS OFFER
BETTER SECURITY, FUNCTIONALITY AND EFFICIENCY.



A woman with voluminous curly hair, smiling, wearing a pink dress with white polka dots. She is standing in a room with a bookshelf in the background.

MAKE CASH MANAGEMENT MORE INTELLIGENT WITH CONNECTOR

Our comprehensive family of software tools create a powerful, flexible financial transaction platform to suit your business. Improve efficiency and effectiveness of cash management across payment channels and operating systems. Secure, consolidate and make your data easily accessible to decision-makers.

Contact us: deposita.salesadmin@za.g4s.com or +27 (0)11 729 3300



PROTECTOR 2400 d-s1

DIMENSIONS AND WEIGHT

HEIGHT	870mm
WIDTH	441mm
DEPTH	483mm/ 567mm
WEIGHT	128kg

CAPACITY

2 x 1 200 note stacking canister
2 400 ATM note quality smart-safe capacity

DEPOSIT ACCEPTANCE

2 x note validators validate notes irrespective of their orientation
25 notes per minute per validator
Infrared note validation
Fraud and dye-stain detection and rejection
40 notes stacked per hopper
Remote currency updates

MODULARITY

Optional 25kg coin sidecar

SECURITY

Seismic notification if the device is tampered with

USER INTERFACE

7" Touch screen

ACCESSIBILITY

Mifare card
Touch screen on-device user management

CIT ACCESS

Keyless controlled cash-in-transit entry via device-specific issued and controlled access cards
Front clearance for your cash-in-transit service provider



WEB INTERFACE

CONNECTOR REPORT – real-time device information, transaction tracking, custom reports and remote monitoring

COMMUNICATION

Mobile (GSM) / Local area network (LAN)

PRINTER

200dpi panel printer (58mm)

ADDITIONAL OPTIONS

Multi-account banking
Customer point-of-sale integration
Biometric fingerprint verification
Plinth (height and storage)
Uninterruptible power supply
Unique, on-device reference capture

POWER CONSUMPTION

AC 110-120V ~ /220-240V ~ 50-60HZ
Idle: 65W
Maximum working: 130W
Battery back-up for transaction completion

WORKING ENVIRONMENT

Operating temperature 32°F (0°C) to 104°F (40°C)
Relative humidity: 20% to 95% non-condensing

CERTIFICATION

ISO 9001
ISO 27001
International Electrotechnical Commission (IEC) 62386-1

WARRANTY

Full maintenance plan over the contract period

DO MORE WITH WHAT'S YOURS™



ISO 27001 & ISO 9001 Accreditation



Customer Service Centre: 0861 000 965 Tel: +27 (0)11 729 3300 deposita.salesadmin@za.g4s.com
1 Slate Avenue. N1 Business Park. Old Pretoria Road. Midrand. Johannesburg. South Africa.

www.deposita.co.za