

DEPOSITA[®]
An ALLIED UNIVERSAL Company



PROTECTOR

Coin s4

EVERY PENNY ADDS UP

If you run a cash business, you inevitably deal with coins. They take a long time to count, and small denominations are miscounted and suffer shrinkage easily, leading to shortfalls and overs. This makes cash-up longer and tedious, taking time away from customer service. The Protector Coin Range are affordable add-on or standalone coin smart-safes. They're easy to operate and accurately count coins in bulk - saving you more time and money.

INNOVATIVE, INDUSTRY-LEADING
CASH MANAGEMENT TECHNOLOGY.

A woman with voluminous curly hair, wearing a black blazer over a white top and light blue jeans with a black belt, stands in a clothing store. Shelves with various items are visible in the background.

MAKE CASH MANAGEMENT MORE INTELLIGENT WITH CONNECTOR

Our comprehensive family of software tools create a powerful, flexible financial transaction platform to suit your business. Improve efficiency and effectiveness of cash management across payment channels and operating systems. Secure, consolidate and make your data easily accessible to decision-makers.

Contact us: deposita.salesadmin@za.g4s.com or +27 (0)11 729 3300



PROTECTOR Coin s4

DIMENSIONS AND WEIGHT

HEIGHT	1 173mm
WIDTH	522mm
DEPTH	610mm
WEIGHT	156kg

CAPACITY

4 x 25kg coin canisters (100kg limit)

DEPOSIT ACCEPTANCE

1 x coin counter
1 100 coins per minute
Counterfeit coin detection and rejection
Bulk coin acceptance

SECURITY

Seismic notification if the device is tampered with

USER INTERFACE


10" Touch screen

ACCESSIBILITY

Mifare card
Touch screen on-device user management

CIT ACCESS

Keyless controlled cash-in-transit entry via device-specific issued and controlled access cards
Back clearance for your cash-in-transit service provider



WEB INTERFACE

CONNECTOR REPORT - real-time device information, transaction tracking, custom reports, and remote monitoring

COMMUNICATION

Mobile (GSM) / Local area network (LAN)

PRINTER

SPRT - 384 dpi (48mm)

POWER CONSUMPTION

AC 110-120V ~ /220-240V ~ 50-60HZ

Idle: 65W

Maximum working: 130W

Battery back-up for transaction completion

WORKING ENVIRONMENT

Operating temperature 32°F (0°C) to 104°F (40°C)

Relative humidity: 20% to 95% non-condensing

CERTIFICATION

ISO 9001

ISO 27001

WARRANTY

Full maintenance plan over the contract period

DO MORE WITH WHAT'S YOURS™



ISO 27001 & ISO 9001 Accreditation



Customer Service Centre: 0861 000 965 Tel: +27 (0)11 729 3300 deposita.salesadmin@za.g4s.com
1 Slate Avenue. N1 Business Park. Old Pretoria Road. Midrand. Johannesburg. South Africa.

www.deposita.co.za